



RAID & 主机适配器产品HDD & SSD 兼容性列表

版本1.0

版权所有©1999-2023 highpoint-tech.cn。保留所有权利。有关更多信息请访问<http://www.highpoint-tech.cn/>。所有在此引用的商标、商号、服务标志和标识都属于各自的公司。

为提高可靠性、功能或设计而对本协议中的任何产品或数据进行更改而不另行通知的权利。我们提供的资料是准确和可靠的。然而，北京微辰信息技术有限公司不承担因应用或使用本信息而产生的任何责任，也不承担因应用或使用本文所述的任何产品或电路而产生的任何责任，也不传递其专利权或他人权利下的任何许可。

RAID & 主机适配器产品HDD & SSD 兼容性列表

本文档旨在作为SSD7140A与本文所述特定主板/SSD之间兼容性的一般参考。本文档中包含的主板建议用于SSD7140A PCIe 3.0x16配置。特定主板可能有特殊要求或限制。请参阅主板的PCIe扩展插槽设置。

主板兼容性列表

生产厂商	产品名称	芯片集	推荐的PCIe插槽#
ASUS	PRIME X299-DELUXE	Intel X299	PCIEX16_1, PCIEX16_3
ASUS	ROG STRIX X299-E	Intel X299	PCIEX16/X8_1, PCIEX16/X8_2
ASUS	TUF X299 MARK 1	Intel X299	PCIEX16_1, PCIEX16_2
ASUS	PRIME X299-A	Intel X299	PCIEX16_1, PCIEX16_2
ASUS	TUF X299 MARK 2	Intel X299	PCIEX16_1, PCIEX16_2
ASUS	WS X299 SAGE	Intel X299	PCIEX16_1 PCIEX16_3 PCIEX16_5 PCIEX16_7
ASUS	PRIME Z390 SERIES	Intel Z390	PCIEX16_1
ASUS	X99-E-10G WS	Intel X99	PCIEX16_1 PCIEX16_3 PCIEX16_5 PCIEX16_7
ASUS	X99-WS/IPMI	Intel X99	PCIEX16_2, PCIEX16_3
ASUS	X99-E WS/USB 3.1	Intel X99	PCIEX16_1 PCIEX16_3 PCIEX16_5 PCIEX16_7
ASUS	Z10PE-D8 WS	Intel C612 PCH	PCIEX16_1 PCIEX16_3 PCIEX16_5 PCIEX16_7
ASUS	Z10PE-D16 WS	Intel C612 PCH	PCIEX16_2 PCIEX16_4 PCIEX16_5 PCIEX16_6
ASUS	Z10PA-U8	Intel C612 PCH	PCIe4, PCIe6
ASUS	ROG ZENITH EXTREME	AMD X399	PCIEx16_1, PCIEX16_3
ASUS	PRIME X399-A	AMD X399	PCIEx16_1, PCIEX16_3
ASUS	ROG STRIX X399-E GAMING	AMD X399	PCIEx16_1, PCIEX16_3
ASUS	PRIME X570-P	AMD X570	PCIEx16_1
ASUS	PRIME X570-PRO	AMD X570	PCIEx16_1
ASUS	Pro WS X570-ACE	AMD X570	PCIEx16_1
ASUS	ROG Crosshair VIII Formula	AMD X570	PCIEx16_1
ASUS	ROG Crosshair VIII Hero (WI-FI)	AMD X570	PCIEx16_1
ASUS	ROG Crosshair VIII Impact	AMD X570	PCIEx16_1
ASUS	ROG Strix X570-E Gaming	AMD X570	PCIEx16_1
ASUS	ROG Strix X570-F Gaming	AMD X570	PCIEx16_1
ASUS	ROG Strix X570-I Gaming	AMD X570	PCIEx16_1

ASUS	TUF GAMING X570-PLUS	AMD X570	PCIEx16_1
ASUS	TUF GAMING X570-PLUS (WI-FI)	AMD X570	PCIEx16_1
ASUS	PRIME TRX40-PRO	AMD TRX40	PCIEX16_1, PCIEX16_2, PCIEX16_3
ASUS	Pro WS WRX80E-SAGE SE WIFI	AMD WRX80	PCIEx4.0/3.0 X16_1 PCIEx4.0/3.0 X16_2 PCIEx4.0/3.0 PCIEx4.0/3.0 X16_1 PCIEx4.0/3.0 X16_2 PCIEx4.0/3.0 X16_3 PCIEx4.0/3.0 X16_4 PCIEx4.0/3.0 X16_5 PCIEx4.0/3.0 X16_6 PCIEx4.0/3.0 X16_70 X16_3 PCIEx4.0/3.0 X16_4 PCIEx4.0/3.0 X16_5 PCIEx4.0/3.0 X16_6 PCIEx4.0/3.0 X16_7
ASUS	ROG MAXIMUS XIII HERO	Intel Z590	PCIEX16_1
ASUS	ROG MAXIMUS Z690 HERO	Intel Z690	PCIEX16(G5)_1
GIGABYTE	X299 AORUS Gaming 9	Intel X299	PCIEX16_1, PCIEX16_2
GIGABYTE	X299 AORUS Gaming 7	Intel X299	PCIEX16_1, PCIEX16_2
GIGABYTE	X299 AORUS Gaming 3	Intel X299	PCIEX16_1, PCIEX16_2
GIGABYTE	X299 UD4	Intel X299	PCIEX16_1, PCIEX16_2
GIGABYTE	GA-X299 DESIGNARE EX	Intel X299	PCIEX16_1, PCIEX16_2
GIGABYTE	GA-Z390 AORUS XTREME	Intel Z390	PCIEX16
GIGABYTE	GA-X99-UD7 WIFI	Intel X99	PCIEX1, PCIEX2
GIGABYTE	GA-X99P-SLI	Intel X99	PCIEX1, PCIEX2
GIGABYTE	GA-X99-UD4	Intel X99	PCIEX1, PCIEX2
GIGABYTE	MD70-HB0	Intel C612	PCIEX2, PCIEX4, PCIEX6
GIGABYTE	MD70-HB2	Intel C612	PCIEX2, PCIEX4, PCIEX6
GIGABYTE	X399 AORUS PRO	AMD X399	PCIEx16_1, PCIEX16_2
GIGABYTE	X399 AORUS XTREME	AMD X399	PCIEx16_1, PCIEX16_2
GIGABYTE	X399 DESIGNARE EX	AMD X399	PCIEx16_1, PCIEX16_2
GIGABYTE	X399 AORUS Gaming 7	AMD X399	PCIEx16_1, PCIEX16_2
GIGABYTE	X570 AORUS MASTER	AMD X570	PCIEX16
GIGABYTE	X570 AORUS ELITE WIFI	AMD X570	PCIEX16
GIGABYTE	X570 AORUS XTREME	AMD X570	PCIEX16
GIGABYTE	X570 AORUS PRO WIFI	AMD X570	PCIEX16
GIGABYTE	X570 I AORUS PRO WIFI	AMD X570	PCIEX16
GIGABYTE	X570 GAMING X	AMD X570	PCIEX16
GIGABYTE	X570 UD	AMD X570	PCIEX16

ASRock	Fatality X299 Gaming K6	Intel X299	PCIEX1, PCIEX3
ASRock	Fatality X299 Professional Gaming i9	Intel X299	PCIEX1, PCIEX3
ASRock	X299 Killer SLI/ac	Intel X299	PCIEX1, PCIEX3

ASRock	X299 Taiichi	Intel X299	PCIE1, PCIE3
ASRock	X99 WS	Intel X99	PCIE1, PCIE4
MSI	X299 GAMING M7 ACK	Intel X299	PCI_E1, PCI_E4
MSI	X299 GAMING PRO CARBON AC	Intel X299	PCI_E1, PCI_E4
MSI	X299 GAMING PRO CARBON	Intel X299	PCI_E1, PCI_E4
MSI	X299 TOMAHAWK ARCTIC	Intel X299	PCI_E1, PCI_E4
MSI	X299 TOMAHAWK AC	Intel X299	PCI_E1, PCI_E4
MSI	X299 TOMAHAWK	Intel X299	PCI_E1, PCI_E4
MSI	X299 SLI PLUS	Intel X299	PCI_E1, PCI_E4
MSI	X299 RAIDER	Intel X299	PCI_E1, PCI_E3
MSI	X99A WORKSTATION	Intel X99	PCI_E1, PCI_E4
MSI	X99A SLI	Intel X99	PCI_E1, PCI_E4
Supermicro	X11DPL-i	Intel C621	CPU1 SLOT5 PCI-E 3.0X16 CPU2 SLOT3 PCI-E 3.0X16
Supermicro	X11DPi-N	Intel C621	CPU1 Slot2 PCI-E 3.0X16 CPU2 Slot4 PCI-E 3.0X16 CPU2 Slot5 PCI-E 3.0X16 CPU2 Slot6 PCI-E 3.0X16
Supermicro	X11DPi-NT	Intel C622	CPU1 Slot2 PCI-E 3.0X16 CPU2 Slot4 PCI-E 3.0X16 CPU2 Slot5 PCI-E 3.0X16 CPU2 Slot6 PCI-E 3.0X16
Supermicro	X11DAi-N	Intel C621	CPU1 SLOT1 PCI-E 3.0X16 CPU1 SLOT2 PCI-E 3.0X16 CPU2 SLOT3 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16
Supermicro	X11DPX-T	Intel C621	JPCIE2(CPU1 SLOT2 PCI-E 3.0X16) JPCIE4(CPU1 SLOT4 PCI-E 3.0X16) JPCIE6(CPU2 SLOT6 PCI-E 3.0X16) JPCIE8(CPU2 SLOT8 PCI-E 3.0X16)
Supermicro	X11DPH-TQ	Intel C627	CPU2 SLOT2 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16
Supermicro	X11DPH-I	Intel C621	CPU2 SLOT2 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16
Supermicro	X11DPH-T	Intel C622	CPU2 SLOT2 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16
Supermicro	X11DAC	Intel C621	CPU1 SLOT1 PCI-E 3.0X16 CPU2 SLOT3 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16
Supermicro	X11SPi-TF	Intel C622	CPU SLOT4 PCI-E 3.0X16 CPU SLOT6 PCI-E 3.0X16
Supermicro	X11SPM-TPF	Intel C622	CPU1 SLOT4 PCI-E 3.0X16 CPU1 SLOT6 PCI-E 3.0X16
Supermicro	X11SRA-RF	Intel PCH C422	CPU SLOT4 PCI-E 3.0X16 CPU SLOT6 PCI-E 3.0X16
Supermicro	H11DSi-NT	System on Chip	CPU1 SLOT2 PCI-E 3.0 x16 CPU1 SLOT4 PCI-E 3.0 x16
Supermicro	H11DSi	System on Chip	CPU1 SLOT2 PCI-E 3.0 x16 CPU1 SLOT4 PCI-E 3.0 x16

Supermicro	H11SSL-NC	System on Chip	CPU SLOT2 PCI-E 3.0 x16 CPU SLOT4 PCI-E 3.0 x16 CPU SLOT6 PCI-E 3.0 x16
Supermicro	H11SSL-i	System on Chip	CPU SLOT2 PCI-E 3.0 x16 CPU SLOT4 PCI-E 3.0 x16 CPU SLOT6 PCI-E 3.0 x16
Supermicro	H11SSL-C	System on Chip	CPU SLOT2 PCI-E 3.0 x16 CPU SLOT4 PCI-E 3.0 x16 CPU SLOT6 PCI-E 3.0 x16
Supermicro	H12SSL-i	System on Chip	CPU SLOT1 PCI-E 4.0 X16 CPU SLOT3 PCI-E 4.0 X16 CPU SLOT5 PCI-E 4.0 X16 CPU SLOT6 PCI-E 4.0 X16 CPU SLOT7 PCI-E 4.0 X16

Supermicro	H12SSL-NT	System on Chip	CPU SLOT1 PCI-E 4.0 X16 CPU SLOT3 PCI-E 4.0 X16 CPU SLOT5 PCI-E 4.0 X16 CPU SLOT6 PCI-E 4.0 X16 CPU SLOT7 PCI-E 4.0 X16
Supermicro	H12SSL-C	System on Chip	CPU SLOT1 PCI-E 4.0 X16 CPU SLOT3 PCI-E 4.0 X16 CPU SLOT5 PCI-E 4.0 X16 CPU SLOT6 PCI-E 4.0 X16 CPU SLOT7 PCI-E 4.0 X16
Supermicro	H12SSL-CT	System on Chip	CPU SLOT1 PCI-E 4.0 X16 CPU SLOT3 PCI-E 4.0 X16 CPU SLOT5 PCI-E 4.0 X16 CPU SLOT6 PCI-E 4.0 X16 CPU SLOT7 PCI-E 4.0 X16

SSD兼容性列表

生产厂商	型号	尺寸	容量	说明
PCIe Gen3 NVMe				
Samsung	970 EVO Plus	M.2 2280	250G, 500G, 1T, 2T	
Samsung	970 EVO	M.2 2280	250G, 500G, 1T, 2T	
Samsung	970 PRO	M.2 2280	512G, 1T	
KIOXIA	XG5	M.2 2280	256GB, 512GB, 1TB	
KIOXIA	XG6	M.2 2280	256GB, 512GB, 1024GB	
Western Digital	WD Blue SN500	M.2 2280	250GB, 500GB	

Western Digital	WD Black SN750	M. 2 2280	250GB, 500GB, 1TB, 2T	
HP	EX950	M. 2 2280	512GB, 1TB, 2TB	
PCIe Gen4 NVMe				
Seagate	FireCuda520 SSD	M. 2 2280	500GB, 1T, 2T	
Sabrent	Rocket NVMe 4.0	M. 2 2280	500GB, 1T, 2T	
Samsung	980 PRO	M. 2 2280	250G, 500G, 1T, 2T	

客户支持

如果您在使用产品时遇到任何问题，或对北京微辰品牌其他产品有任何疑问，请随时联系我们的客户支持部门。

官方网站

<http://www.highpoint-tech.cn/>

公司邮箱

sales@highpoint-tech.cn

技术咨询链接

<https://www.fqixin.cn/fsh5/smart-form/index.html?cardId=639023ae9b9cef03b8dfbafa>

技术咨询二维码



售后维修服务链接

<https://www.fqixin.cn/fsh5/smart-form/index.html?cardId=639056a0d51d1e7c73ec96c7>

售后维修服务二维码



联系电话

010-8639 5268



微辰
