

# HighPoint SSD7204 Compatibility List

2020/05/11

This document was designed to serve as general reference for compatibility between the HighPoint SSD7204 and specific motherboards/SSD's described herein.

The motherboards included in this document are recommended for HighPoint SSD7204 x8 PCIE 3.0 or PCIE 4.0 configurations. Specific motherboards may have special requirements or restrictions. Please refer to the motherboard's PCIe Expansion slot settings.

**Motherboard Compatibility List**

Manufacture	Product Name	Chipset	Recommended PCIe slot #
ASUS	PRIME X299-DELUXE	Intel X299	PCIEX16_1, PCIEX16_3, PCIEX16_4
ASUS	ROG STRIX X299-E	Intel X299	PCIEX16/X8_1, PCIEX16/X8_2, PCIEX8/X1_3
ASUS	TUF X299 MARK 1	Intel X299	PCIEX16_1, PCIEX16_2, PCIEX16_3
ASUS	PRIME X299-A	Intel X299	PCIEX16_1, PCIEX16_2, PCIEX16_3
ASUS	TUF X299 MARK 2	Intel X299	PCIEX16_1, PCIEX16_2, PCIEX16_3
ASUS	WS X299 SAGE	Intel X299	PCIEX16_1, PCIEX16_2, PCIEX16_3 PCIEX16_4, PCIEX16_5, PCIEX16_6, PCIEX16_7
ASUS	X99-E-10G WS	Intel X99	PCIEX16_1, PCIEX16_2, PCIEX16_3 PCIEX16_4, PCIEX16_5, PCIEX16_6, PCIEX16_7
ASUS	X99-WS/IPMI	Intel X99	PCIEX16_1, PCIEX16_2, PCIEX16_3 PCIEX16_4, PCIEX16_5
ASUS	X99-E WS/USB 3.1	Intel X99	PCIEX16_1, PCIEX16_2, PCIEX16_3 PCIEX16_4, PCIEX16_5, PCIEX16_6, PCIEX16_7
ASUS	Z10PE-D8 WS	Intel C612 PCH	PCIEX16_1, PCIEX16_2, PCIEX16_3 PCIEX16_4, PCIEX16_5, PCIEX16_6, PCIEX16_7
ASUS	Z10PE-D16 WS	Intel C612 PCH	PCIEX16_1, PCIEX16_2, PCIEX16_3 PCIEX16_4, PCIEX16_5, PCIEX16_6
ASUS	Z10PA-U8	Intel C612 PCH	PCIE3, PCIE4, PCIE5, PCIE6
ASUS	PRIME Z390-A	Intel Z390	PCIEX16_1, PCIEX16_2
ASUS	ROG ZENITH EXTREME	AMD X399	PCIEx16_1, PCIEX8_2, PCIEX16_3 PCIEX8/X4_4
ASUS	PRIME X399-A	AMD X399	PCIEx16_1, PCIEX16_2, PCIEX16_3, PCIEX16_4
ASUS	ROG STRIX X399-E GAMING	AMD X399	PCIEx16_1, PCIEX8_2 PCIEX16_3, PCIEX8_4
ASUS	PRIME X570-P	AMD X570	PCIEx16_1
ASUS	PRIME X570-PRO	AMD X570	PCIEx16_1, PCIEX16_2
ASUS	Pro WS X570-ACE	AMD X570	PCIEx16_1, PCIEX16_2, PCIEX16_3
ASUS	ROG Crosshair VIII Formula	AMD X570	PCIEx16_1, PCIEX16_2
ASUS	ROG Crosshair VIII Hero (WI-FI)	AMD X570	PCIEx16_1, PCIEX16_2
ASUS	ROG Crosshair VIII Impact	AMD X570	PCIEx16
ASUS	ROG Strix X570-E Gaming	AMD X570	PCIEx16_1, PCIEX16_2
ASUS	ROG Strix X570-F Gaming	AMD X570	PCIEx16_1, PCIEX16_2
ASUS	ROG Strix X570-I Gaming	AMD X570	PCIEx16
ASUS	TUF GAMING X570-PLUS	AMD X570	PCIEx16_1
ASUS	TUF GAMING X570-PLUS (WI-FI)	AMD X570	PCIEx16_1
ASUS	Z170-A	Intel Z170	PCIEX16_1, PCIEX16_2
GIGABYTE	X299 AORUS Gaming 9	Intel X299	PCIEX16_1, PCIEX16_2 PCIEX8
GIGABYTE	X299 AORUS Gaming 7	Intel X299	PCIEX16_1, PCIEX16_2 PCIEX8
GIGABYTE	X299 AORUS Gaming 3	Intel X299	PCIEX16_1, PCIEX16_2 PCIEX8
GIGABYTE	X299 UD4	Intel X299	PCIEX16_1, PCIEX16_2 PCIEX8
GIGABYTE	GA-X299 DESIGNARE EX	Intel X299	PCIEX16_1, PCIEX16_2 PCIEX8
GIGABYTE	GA-Z390 AORUS XTREME	Intel Z390	PCIEX16, PCIEX8
GIGABYTE	GA-X99-UD7 WIFI	Intel X99	PCIE1, PCIE2 PCIE3, PCIE4
GIGABYTE	GA-X99P-SLI	Intel X99	PCIE_1, PCIE_2 PCIE_3, PCIE_4
GIGABYTE	GA-X99-UD4	Intel X99	PCIE_1, PCIE_2 PCIE_3, PCIE_4
GIGABYTE	MD70-HB0	Intel C612	PCIE_1, PCIE_2, PCIE_3, PCIE_4, PCIE_5, PCIE_6
GIGABYTE	MD70-HB2	Intel C612	PCIE_1, PCIE_2, PCIE_3, PCIE_4, PCIE_5, PCIE_6
GIGABYTE	Z170X-UD5	Intel Z170	PCIEX16, PCIEX8
GIGABYTE	X399 AORUS PRO	AMD X399	PCIEx16_1, PCIEX16_2 PCIEX8_1, PCIEX8_2
GIGABYTE	X399 AORUS XTREME	AMD X399	PCIEx16_1, PCIEX16_2 PCIEX8_1, PCIEX8_2
GIGABYTE	X399 DESIGNARE EX	AMD X399	PCIEx16_1, PCIEX16_2 PCIEX8_1, PCIEX8_2
GIGABYTE	X399 AORUS Gaming 7	AMD X399	PCIEx16_1, PCIEX16_2 PCIEX8_1, PCIEX8_2

GIGABYTE	X570 AORUS MASTER	AMD X570	PCIEX16, PCIEX8
GIGABYTE	X570 AORUS ELITE WIFI	AMD X570	PCIEX16
GIGABYTE	X570 AORUS XTREME	AMD X570	PCIEX16, PCIEX8
GIGABYTE	X570 AORUS PRO WIFI	AMD X570	PCIEX16, PCIEX8
GIGABYTE	X570 I AORUS PRO WIFI	AMD X570	PCIEX16
GIGABYTE	X570 GAMING X	AMD X570	PCIEX16
GIGABYTE	X570 UD	AMD X570	PCIEX16
ASRock	Fatal1ty X299 Gaming K6	Intel X299	PCIEX1, PCIEX3, PCIEX5
ASRock	Fatal1ty X299 Professional Gaming i9	Intel X299	PCIEX1, PCIEX2, PCIEX3, PCIEX5
ASRock	X299 Killer SLI/ac	Intel X299	PCIEX1, PCIEX3, PCIEX5
ASRock	X299 Taichi	Intel X299	PCIEX1, PCIEX2, PCIEX3, PCIEX5
ASRock	X99 WS	Intel X99	PCIEX1, PCIEX2, PCIEX3 PCIEX4, PCIEX6
MSI	X299 GAMING M7 ACK	Intel X299	PCI_E1, PCI_E4, PCI_E6
MSI	X299 GAMING PRO CARBON AC	Intel X299	PCI_E1, PCI_E4, PCI_E6
MSI	X299 GAMING PRO CARBON	Intel X299	PCI_E1, PCI_E4, PCI_E6
MSI	X299 TOMAHAWK ARCTIC	Intel X299	PCI_E1, PCI_E4, PCI_E6
MSI	X299 TOMAHAWK AC	Intel X299	PCI_E1, PCI_E4, PCI_E6
MSI	X299 TOMAHAWK	Intel X299	PCI_E1, PCI_E4, PCI_E6
MSI	X299 SLI PLUS	Intel X299	PCI_E1, PCI_E4, PCI_E6
MSI	X299 RAIDER	Intel X299	PCI_E1, PCI_E3, PCI_E5
MSI	X99A WORKSTATION	Intel X99	PCI_E1, PCI_E4, PCI_E5
MSI	X99A SLI	Intel X99	PCI_E1, PCI_E4, PCI_E5
Supermicro	X11DPL-i	Intel C621	CPU1 SLOT2 PCI-E 3.0X8 CPU1 SLOT4 PCI-E 3.0X8 CPU1 SLOT5 PCI-E 3.0X16 CPU1 SLOT6 PCI-E 3.0X8 CPU2 SLOT3 PCI-E 3.0X16
Supermicro	X11DPi-N	Intel C621	CPU1 SLOT1 PCI-E 3.0X8 CPU1 SLOT2 PCI-E 3.0X16 CPU1 SLOT3 PCI-E 3.0X8 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16 CPU2 SLOT6 PCI-E 3.0X16
Supermicro	X11DPi-NT	Intel C622	CPU1 SLOT1 PCI-E 3.0X8 CPU1 SLOT2 PCI-E 3.0X16 CPU1 SLOT3 PCI-E 3.0X8 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16 CPU2 SLOT6 PCI-E 3.0X16
Supermicro	X11DAi-N	Intel C621	CPU1 SLOT1 PCI-E 3.0X16 CPU1 SLOT2 PCI-E 3.0X16 CPU2 SLOT3 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X8 CPU2 SLOT5 PCI-E 3.0X16 CPU2 SLOT6 PCI-E 3.0X8
Supermicro	X11DPX-T	Intel C621	JPCIEX1(CPU1 SLOT1 PCI-E 3.0X8) JPCIEX2(CPU1 SLOT2 PCI-E 3.0X16) JPCIEX3(CPU1 SLOT3 PCI-E 3.0X8) JPCIEX4(CPU1 SLOT4 PCI-E 3.0X16) JPCIEX5(CPU2 SLOT5 PCI-E 3.0X8) JPCIEX6(CPU2 SLOT6 PCI-E 3.0X16) JPCIEX7(CPU1 SLOT7 PCI-E 3.0X8) JPCIEX8(CPU2 SLOT8 PCI-E 3.0X16)
Supermicro	X11DPH-TQ	Intel C627	CPU1 SLOT1 PCI-E 3.0X8 CPU1 SLOT3 PCI-E 3.0X8 CPU1 SLOT6 PCI-E 3.0X8 CPU1 SLOT7 PCI-E 3.0X8 CPU2 SLOT2 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16
Supermicro	X11DPH-I	Intel C621	CPU1 SLOT1 PCI-E 3.0X8 CPU1 SLOT3 PCI-E 3.0X8 CPU1 SLOT6 PCI-E 3.0X8 CPU1 SLOT7 PCI-E 3.0X8 CPU2 SLOT2 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16

Supermicro	X11DPH-T	Intel C622	CPU1 SLOT1 PCI-E 3.0X8 CPU1 SLOT3 PCI-E 3.0X8 CPU1 SLOT6 PCI-E 3.0X8 CPU1 SLOT7 PCI-E 3.0X8 CPU2 SLOT2 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16
Supermicro	X11DAC	Intel C621	CPU1 SLOT1 PCI-E 3.0X16 CPU1 SLOT2 PCI-E 3.0X8 CPU2 SLOT3 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X8 CPU2 SLOT5 PCI-E 3.0X16 CPU2 SLOT6 PCI-E 3.0X8
Supermicro	X11SPi-TF	Intel C622	CPU SLOT2 PCI-E 3.0X8 CPU SLOT3 PCI-3 3.0X8 CPU SLOT4 PCI-E 3.0X16 CPU SLOT6 PCI-E 3.0X16
Supermicro	X11SPM-TPF	Intel C622	CPU1 SLOT4 PCI-E 3.0X16 CPU1 SLOT6 PCI-E 3.0X16 CPU1 SLOT7 PCI-E 3.0X16
Supermicro	X11SRA-RF	Intel PCH C422	CPU SLOT2 PCI-E 3.0X8(IN X16) CPU SLOT4 PCI-E 3.0X16 CPU SLOT6 PCI-E 3.0X16
Supermicro	X10DAL-i	Intel C612	CPU1 SLOT1 PCI-E 3.0X8 CPU1 SLOT3 PCI-E 3.0X16 CPU1 SLOT5 PCI-E 3.0X16
Supermicro	X10DAi	Intel C612	CPU1 SLOT1 PCI-E 3.0X16 CPU2 SLOT2 PCI-E 3.0X8 CPU1 SLOT3 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X16
Supermicro	X10DAC	Intel C612	CPU1 SLOT1 PCI-E 3.0X16 CPU2 SLOT2 PCI-E 3.0X8 CPU1 SLOT3 PCI-E 3.0X16 CPU2 SLOT4 PCI-E 3.0X8 CPU2 SLOT5 PCI-E 3.0X16
Supermicro	X10DRi	Intel C612	CPU1 SLOT1 PCI-E 3.0X8 CPU1 SLOT2 PCI-E 3.0X16 CPU1 SLOT3 PCI-E 3.0X8 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X8 CPU2 SLOT6 PCI-E 3.0X16
Supermicro	X10DRi-T	Intel C612	CPU1 SLOT1 PCI-E 3.0X8 CPU1 SLOT2 PCI-E 3.0X16 CPU1 SLOT3 PCI-E 3.0X8 CPU2 SLOT4 PCI-E 3.0X16 CPU2 SLOT5 PCI-E 3.0X8 CPU2 SLOT6 PCI-E 3.0X16
Supermicro	X10DRG-Q	Intel PCH C612	CPU1 SLOT2 PCI-E 3.0X16 CPU1 SLOT4 PCI-E 3.0X16 CPU2 SLOT6 PCI-E 3.0X16 CPU2 SLOT8 PCI-E 3.0X16 CPU1 SLOT10 PCI-E 3.0 X8(IN X16)
Supermicro	H11DSi-NT	System on Chip	CPU2 SLOT1 PCI-E 3.0 X8 CPU1 SLOT2 PCI-E 3.0 X16 CPU1 SLOT3 PCI-E 3.0 X8 CPU1 SLOT4 PCI-E 3.0 X16 CPU1 SLOT5 PCI-E 3.0 X8
Supermicro	H11DSi	System on Chip	CPU2 SLOT1 PCI-E 3.0 X8 CPU1 SLOT2 PCI-E 3.0 X16 CPU1 SLOT3 PCI-E 3.0 X8 CPU1 SLOT4 PCI-E 3.0 X16 CPU1 SLOT5 PCI-E 3.0 X8
Supermicro	H11SSL-NC	System on Chip	CPU SLOT1 PCI-E 3.0 X8 CPU SLOT2 PCI-E 3.0 X16 CPU SLOT3 PCI-E 3.0 X8 CPU SLOT4 PCI-E 3.0 X16 CPU SLOT5 PCI-E 3.0 X8 CPU SLOT6 PCI-E 3.0 X16
Supermicro	H11SSL-i	System on Chip	CPU SLOT1 PCI-E 3.0 X8 CPU SLOT2 PCI-E 3.0 X16

			CPU SLOT3 PCI-E 3.0 X8 CPU SLOT4 PCI-E 3.0 X16 CPU SLOT5 PCI-E 3.0 X8 CPU SLOT6 PCI-E 3.0 X16
Supermicro	H11SSL-C	System on Chip	CPU SLOT1 PCI-E 3.0 X8 CPU SLOT2 PCI-E 3.0 X16 CPU SLOT3 PCI-E 3.0 X8 CPU SLOT4 PCI-E 3.0 X16 CPU SLOT5 PCI-E 3.0 X8 CPU SLOT6 PCI-E 3.0 X16

**SSD Compatibility List**

Manufacture	Model/Series	Form Factor	Capacity
Samsung	960 EVO	M.2 2280	250G, 500G, 1T
Samsung	960 PRO	M.2 2280	512G, 1T, 2T
Samsung	970 EVO Plus	M.2 2280	250G, 500G, 1T, 2T
Samsung	970 EVO	M.2 2280	250G, 500G, 1T, 2T
Samsung	970 PRO	M.2 2280	512G, 1T
Western Digital	Black (SN750)	M.2 2280	250G, 500G, 1T, 2T

If you have any questions about NVMe compatibility, please contact us at [Sales@highpoint-tech.com](mailto:Sales@highpoint-tech.com)